

		<u>'</u>		
_	0	"4656398" and pool	USPAT;	2003/08/11 02:59
1			US-PGPUB; EPO; JPO;	02:39
			DERWENT;	
İ			IBM TDB	
-	4373	pool and LED\$1	USPĀT;	2003/08/11
			US-PGPUB;	03:09
			EPO; JPO;	
			DERWENT;	
_	80	(pool and LED\$1) and @ad<=19970826	IBM_TDB USPAT;	2003/08/11
İ		(pool and hibyl) and eact 15570020	US-PGPUB;	03:10
į			EPO; JPO;	
ļ			DERWENT;	
			IBM_TDB	
-	7959	pool and (LED\$1 or light near1 emitting	USPAT;	2003/08/11
		near1 diode\$1)	US-PGPUB; EPO; JPO;	03:10
			DERWENT;	
			IBM TDB	
_	923	pool and (light near1 emitting near1	USPAT;	2003/08/11
		diode\$1)	US-PGPUB;	03:10
			EPO; JPO;	
			DERWENT;	
_	3	 (pool and (light nearl emitting nearl	IBM_TDB USPAT;	2003/08/11
_	3	diode\$1)) and @ad<=19970826	US-PGPUB;	03:24
		diddeyi// dild Gdd(=155/0020	EPO; JPO;	00.21
			DERWENT;	
	;		IBM_TDB	
-	793	ı ' '	USPAT;	2003/08/11
		diode\$1) same (interface or user) and	US-PGPUB;	03:37
	:	pool	EPO; JPO;	
			DERWENT; IBM TDB	
_	291	((LED\$1 or light near1 emitting near1	USPAT;	2003/08/11
		diode\$1) same (interface or user) and	US-PGPUB;	03:37
		pool) and @ad<=19970826	EPO; JPO;	
			DERWENT;	
		///IRD01 linkt1	IBM_TDB	2002/00/11
-	5	(((LED\$1 or light near1 emitting near1 diode\$1) same (interface or user) and	USPAT; US-PGPUB;	2003/08/11
		pool) and @ad<=19970826) and swim\$6	EPO; JPO;	03.30
		,	DERWENT;	
			IBM_TDB	
-	5	(((LED\$1 or light near1 emitting near1	USPAT;	2003/08/11
		diode\$1) same (interface or user) and	US-PGPUB;	03:36
1		pool) and @ad<=19970826) and (swim\$6 or	EPO; JPO;	
		spa)	DERWENT; IBM TDB	
_	184	(light nearl emitting nearl diode\$1) same	USPAT;	2003/08/11
		(interface or user) and pool	US-PGPUB;	07:40
			EPO; JPO;	
	[·	DERWENT;	
l _		//light noon1 omitting moon1 3: -3-01\	IBM_TDB	2002/09/11
-	0	((light nearl emitting nearl diode\$1) same (interface or user) and pool) and	USPAT; US-PGPUB;	2003/08/11 03:38
		Gad<=19970826	EPO; JPO;	55.50
			DERWENT;	
			IBM_TDB	
-	20		USPAT;	2003/08/11
		(interface or user) and spa	US-PGPUB;	03:37
			EPO; JPO;	
			DERWENT; IBM TDB	
-	15	((light nearl emitting nearl diode\$1)	USPAT;	2003/08/11
1		same (interface or user) and spa) and	US-PGPUB;	07:38
		@ad<=19970826	EPO; JPO;	
			DERWENT;	
	L		IBM_TDB	

L Number	Hits	Search Text	DB	Time stamp
1	1765	315/291.ccls.	USPAT;	2003/08/11
_		-	US-PGPUB;	07:39
ļ			EPO; JPO;	
			DERWENT;	
			IBM TDB	
2	136	315/292.ccls.	USPAT;	2003/08/11
		,	US-PGPUB;	07:39
			EPO; JPO;	1
			DERWENT;	
			IBM TDB	
3	37	315/300.ccls.	USPAT;	2003/08/11
			US-PGPUB;	07:39
			EPO; JPO;	000
			DERWENT;	
			IBM TDB	
4	199	315/316.ccls.	USPAT;	2003/08/11
ļ ⁻		020,020.00	US-PGPUB;	07:39
			EPO; JPO;	0,.33
ì			DERWENT;	
			IBM TDB	
5	292	315/312.ccls.	USPAT;	2003/08/11
-	2,2		US-PGPUB;	07:39
			EPO; JPO;	• • • • • • • • • • • • • • • • • • •
			DERWENT;	
			IBM TDB	
6	86	315/314.ccls.	USPAT;	2003/08/11
•	""	313/314.0013.	US-PGPUB;	07:39
			EPO; JPO;	07.39
			DERWENT;	
			IBM TDB	
7	1728	315/209r.ccls.	USPAT;	2003/08/11
'	1,20	313/2031.6613.	US-PGPUB;	07:40
			EPO; JPO;	07.40
			DERWENT;	
			IBM TDB	
8	1101	315/dig.5.ccls.	USPAT;	2003/08/11
	1	010, 419.0.0015.	US-PGPUB;	07:40
			EPO; JPO;	07.10
			DERWENT;	1
			IBM TDB	
9	1	315/291.ccls. and (light near1 emitting	USPAT;	2003/08/11
	_	nearl diode\$1) same (interface or user)	US-PGPUB;	07:40
		and pool	EPO; JPO;	
		•	DERWENT;	
			IBM TDB	
10	0	315/292.ccls. and (light near) emitting	USPAT;	2003/08/11
		nearl diode\$1) same (interface or user)	US-PGPUB;	07:40
		and pool	EPO; JPO;	
į		•	DERWENT;	
			IBM TDB	
11	0.	315/300.ccls. and (light near1 emitting	USPAT;	2003/08/11
		near1 diode\$1) same (interface or user)	US-PGPUB;	07:40
		and pool	EPO; JPO;	
]		£	DERWENT;	
			IBM TDB	
12	o	315/316.ccls. and (light near1 emitting	USPAT;	2003/08/11
		near1 diode\$1) same (interface or user)	US-PGPUB;	07:40
		and pool	EPO; JPO;	- · · · · ·
			DERWENT;	
			IBM TDB	
13	1	315/312.ccls. and (light near1 emitting	USPAT;	2003/08/11
	_	near1 diode\$1) same (interface or user)	US-PGPUB;	07:41
		and pool	EPO; JPO;	- ' - ' -
			DERWENT;	
			IBM TDB	
		L	1	L

				T
14	0	315/314.ccls. and (light near1 emitting near1 diode\$1) same (interface or user)	USPAT; US-PGPUB;	2003/08/11 07:41
		and pool	EPO; JPO; DERWENT;	
		245 (202	IBM_TDB	2002/00/11
15	0	315/209r.ccls. and (light nearl emitting nearl diode\$1) same (interface or user)	USPAT; US-PGPUB;	2003/08/11 07:41
		and pool	EPO; JPO; DERWENT;	
			IBM_TDB	
16	0	315/dig.5.ccls. and (light near)	USPAT;	2003/08/11
		emitting nearl diode\$1) same (interface or user) and pool	US-PGPUB; EPO; JPO;	07:41
		of abot, and poor	DERWENT;	
	,	/ 215/201 and /light manual	IBM_TDB	2002/09/11
17	1	(315/291.ccls. and (light near1 emitting near1 diode\$1) same (interface	USPAT; US-PGPUB;	2003/08/11 07:41
		or user) and pool) and (light nearl	EPO; JPO;	
		emitting nearl diode\$1) same (interface or user) and pool	DERWENT; IBM TDB	
_	13		USPAT;	2003/08/11
		@ad<=19981216	US-PGPUB;	02:10
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	234	(socket or light) same pool and LED\$1	USPAT;	2003/08/11
		same (interfac\$3 or us\$3)	US-PGPUB; EPO; JPO;	02:58
			DERWENT;	
	126	//gogket on light) game mool and IED¢1	IBM_TDB USPAT;	2003/08/11
_	136	((socket or light) same pool and LED\$1 same (interfac\$3 or us\$3)) and	US-PGPUB;	01:52
		@ad<=19981216	EPO; JPO;	
			DERWENT; IBM TDB	
_	582	LED\$1 same pool	USPAT;	2003/08/11
		_	US-PGPUB;	01:59
		`	EPO; JPO; DERWENT;	
			IBM_TDB	
_	31	(LED\$1 same pool) and @ad<=19981216	USPAT; US-PGPUB;	2003/08/11
			EPO; JPO;	02.00
			DERWENT;	
_	5	"6030108"	IBM_TDB USPAT;	2003/08/11
		0030100	US-PGPUB;	01:57
			EPO; JPO;	
			DERWENT; IBM TDB	
-	1	"6030108" and LED	USPĀT;	2003/08/11
			US-PGPUB; EPO; JPO;	01:57
			DERWENT;	
		TRD01	IBM_TDB	2002/09/11
_	20	LED\$1 same interfac\$3 and pool near10 (light or source)	USPAT; US-PGPUB;	2003/08/11
		,	EPO; JPO;	
			DERWENT; IBM TDB	
_	9	(LED\$1 same interfac\$3 and pool near10	USPAT;	2003/08/11
		(light or source)) and @ad<=19981216	US-PGPUB;	02:00
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	18	socket same pool and LED\$1	USPĀT;	2003/08/11
			US-PGPUB; EPO; JPO;	02:09
			DERWENT;	
L	L		IBM_TDB	l

Search History 8/11/03 7:41:50 AM Page 2

Γ_	4056	pool same (light or socket)	USPAT;	2003/08/11
_	4036	boot same (iidut of socker)	USPAT; US-PGPUB;	02:09
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/00/11
-	2898	(pool same (light or socket)) and	USPAT;	2003/08/11
		@ad<=19981216	US-PGPUB; EPO; JPO;	02:30
			DERWENT;	
	1		IBM TDB	
_	266	((pool same (light or socket)) and	USPAT;	2003/08/11
	1	@ad<=19981216) and LED\$1	US-PGPUB;	02:11
			EPO; JPO;	
			DERWENT;	
_	49242	(hayonet or ninel or halogen on wedge)	IBM_TDB USPAT;	2003/08/11
-	49242	(bayonet or pin\$1 or halogen or wedge)	US-PGPUB;	02:14
	1	Same Booker	EPO; JPO;	V2.17
			DERWENT;	
	1		IBM_TDB	
-	7	(((pool same (light or socket)) and	USPAT;	2003/08/11
		@ad<=19981216) and LED\$1) and ((bayonet	US-PGPUB;	02:12
		or pin\$1 or halogen or wedge) same	EPO; JPO;	
		socket)	DERWENT;	
_	69	(havenet or nine) or halogen or wedge	IBM_TDB USPAT;	2003/08/11
-	69	(bayonet or pin\$1 or halogen or wedge) and (((pool same (light or socket)) and	USPAT; US-PGPUB;	02:17
	1	and (((pool same (light of socket)) and	EPO; JPO;	02.11
	1	caat 13301210, and BEDV1,	DERWENT;	
			IBM TDB	
_	2604	swimming near2 pool and (light or socket)	USPĀT;	2003/08/11
			US-PGPUB;	02:17
			EPO; JPO;	
			DERWENT;	
_	100	/guimming noon? nool and /light on	IBM_TDB	2003/08/11
1 -	186	(swimming near2 pool and (light or socket)) and @ad<=19981216	USPAT; US-PGPUB;	02:26
		300x00// and Gad(=13301210	EPO; JPO;	52.20
			DERWENT;	
			IBM_TDB	
-	0	smith near10 majorie.inv	USPAT;	2003/08/11
1			US-PGPUB;	02:28
			EPO; JPO;	
			DERWENT; IBM TDB	
_	n	smith near10 majorie.in.	USPAT;	2003/08/11
1			US-PGPUB;	02:28
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	0000 (00 (55
-	0	smith near10 marjorie.in.	USPAT;	2003/08/11
]		US-PGPUB;	02:28
1			EPO; JPO; DERWENT;	
			IBM TDB	
-	0	smith with marjorie.in.	USPAT;	2003/08/11
			US-PGPUB;	02:28
			EPO; JPO;	
]			DERWENT;	
	_		IBM_TDB	0000 (00 (11
_	0	marjorie with smith.in.	USPAT;	2003/08/11
			US-PGPUB;	02:29
			EPO; JPO; DERWENT;	
			IBM TDB	
_	322	mark with smith.in.	USPAT;	2003/08/11
			US-PGPUB;	02:29
			EPO; JPO;	
			DERWENT;	
	l		IBM_TDB	

				1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
-	322	mark near2 smith.in.	USPAT;	2003/08/11
			US-PGPUB;	02:30
	i		EPO; JPO;	
			DERWENT;	
<u> </u>	18	(mark near2 smith.in.) and pool	IBM_TDB USPAT;	2003/08/11
-	10	(mark near2 smith.in.) and poor	US-PGPUB;	02:30
			EPO; JPO;	02.30
1			DERWENT;	
İ	ļ		IBM TDB	
_	0	((mark near2 smith.in.) and pool) and	USPAT;	2003/08/11
		@ad<=19981216	US-PGPUB;	02:30
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(mark near2 smith.in.) and @ad<=19981216	USPAT;	2003/08/11
Š			US-PGPUB;	02:31
			EPO; JPO;	
			DERWENT;	
		W5004406W	IBM_TDB	0000/00/11
-	0	"5924486" and @ad<=19981216	USPAT;	2003/08/11
			US-PGPUB;	02:34
			EPO; JPO;	
			DERWENT; IBM TDB	
_	17	 "5924486"	USPAT;	2003/08/11
	' '	0001300	US-PGPUB;	02:32
			EPO; JPO;	22.32
1			DERWENT;	
			IBM TDB	
-	19	"5815086"	USPAT;	2003/08/11
İ			US-PGPUB;	02:32
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	"5815086" and @ad<=19981216	USPAT;	2003/08/11
			US-PGPUB;	02:33
			EPO; JPO;	
			DERWENT;	
	7959	 pool and (LED\$1 or (light near1 emitting	IBM_TDB USPAT;	2003/08/11
-	7939	near diode\$1))	US-PGPUB;	02:34
		lear diodesi);	EPO; JPO;	02.34
			DERWENT;	
			IBM TDB	
-	66	(pool and (LED\$1 or (light near1 emitting	USPAT;	2003/08/11
		near diode\$1))) and @ad<=19981216	US-PGPUB;	02:34
		• • •	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	66	(pool and (LED\$1 or (light near1 emitting	USPAT;	2003/08/11
		near diode\$1))) and @ad<=19970826	US-PGPUB;	03:25
			EPO; JPO;	
		- `	DERWENT;	
1_	5	 "6030108"	IBM_TDB USPAT;	2003/08/11
] -	٦	0030100	USPAT; US-PGPUB;	02:47
]			EPO; JPO;	02.37
1			DERWENT;	
			IBM TDB	
-	1	"6030108" and LED	USPAT;	2003/08/11
			US-PGPUB;	02:58
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	13	"4656398"	USPAT;	2003/08/11
			US-PGPUB;	02:58
			EPO; JPO;	
			DERWENT;	
L.,			IBM_TDB	<u> </u>